


**AMENDMENT TO THE CLAIMS:**

Please amend claim 1, as shown below.

This listing of claims will replace all prior versions and listings of claims in the Application:

**Claim 1 (currently amended):** A power storage device comprising a nitroxyl polymer which has a nitroxyl cation partial structure represented by the following chemical formula (I) in oxidation state and has a nitroxyl radical partial structure represented by the following chemical formula (II) in reduction state, in a cathode; employing a reaction for transferring an electron between the two states represented by the following equation (B) as an electrode reaction of the cathode:



and using a lithium or lithium alloy anode as an anode active material; wherein the cathode contains an electrolyte having an electrolyte salt dissolved in a solvent and is in direct contact with the anode.

**Claim 2 (original):** The power storage device according to claim 1, wherein a lithium-tin alloy or a lithium-silicon alloy is used as the anode active material.


**Claim 3 (previously presented):** The power storage device according to claim 1, using a cathode collector having a conductive auxiliary layer comprising carbon as a main component formed and integrated on an aluminum electrode as a cathode collector.

HAYES SOLOWAY P.C.  
3450 E. SUNRISE DRIVE  
SUITE 140  
TUCSON, AZ 85718  
TEL. 520.882.7623  
FAX. 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567



**Claim 4 (previously presented):** The power storage device according to claim 1, using a carbon paper as a cathode collector.

**Claim 5 (previously presented):** The power storage device according to claim 1, wherein the nitroxyl polymer is a polymer compound having a cyclic nitroxyl structure represented by the following chemical formula (5) in oxidation state:




wherein each of R<sub>1</sub> to R<sub>4</sub> independently represents an alkyl group, and X represents a divalent group so that the chemical formula (5) forms a 5- to 7-membered ring, while X constitutes a part of a side chain or a main chain of the polymer.

**Claim 6 (previously presented):** The power storage device according to claim 5, wherein the nitroxyl polymer is a polymer compound having a side chain containing a residue which removes at least one hydrogen atom bonded to an element forming at least one cyclic nitroxyl structure selected from the group consisting of a 2,2,6,6-tetramethylpiperidinoxyl cation represented by chemical formula (6), a 2,2,5,5-tetramethylpyrrolidinoxyl cation represented by chemical formula (7) and a 2,2,5,5-tetramethylpyrrolinoxyl cation represented by chemical formula (8).



HAYES SOLOWAY P.C.  
3450 E. SUNRISE DRIVE  
SUITE 140  
TUCSON, AZ 85718  
TEL. 520.882.7623  
FAX. 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567



( 8 )

**HAYES SOLOWAY P.C.**  
3450 E. SUNRISE DRIVE  
SUITE 140  
TUCSON, AZ 85718  
TEL. 520.882.7623  
FAX. 520.882.7643

175 CANAL STREET  
MANCHESTER, NH 03101  
TEL. 603.668.1400  
FAX. 603.668.8567